

Certificate of Analysis

FOR COMPLIANCE

Kaycha Labs

RZRC24046C Banana Ghost Matrix: Derivative

Type: Vape Cartridge



Sample:AL40219001-003 Harvest/Lot ID: RZRC24046C

Batch#: RZRC24046C Seed to Sale# RZRC24046C Sample Size Received: 16 units Total Amount: 2500 units

Retail Product Size: 0.5 gram Sampled: 02/15/24 11:15 AM Sampling Start: 11:15 AM Sampling End: 11:45 AM

Revision Date: 03/11/24 Sampling Method: SOP.T.20.010.NY

PASSED

Pages 1 of 6

Naturae LLC

License #: OCM-AUCP-2022-000028

4883 State Route 67 Hoosick Falls, NY, 12090, US

PRODUCT IMAGE

SAFETY RESULTS









PASSED



PASSED



PASSED



Residuals Solvents **PASSED**



NOT TESTED



Water Activity



Moisture **NOT TESTED**



MISC.

TESTED

PASSED



Cannabinoid

Total THC

72.8044%



Total CBD < 0.1000



Total Cannabinoids 80.0103%

Total Cannabinoids/Container: 400.052

										9	,		
											П		
	(6AR,9R) D10-THC	(6AR,9S) D10-THC	СВС	CBD	CBDA	CBDV	CBG	CBGA	CBN	D8-THC	D9-THC	THCA	THCV
%	<0.1000	< 0.1000	0.9890	< 0.1000	< 0.1000	< 0.1000	5.6770	< 0.1000	< 0.1000	< 0.1000	72.8044	<0.1000	0.5399
mg/unit	<0.500	< 0.500	4.945	< 0.500	< 0.500	< 0.500	28.385	< 0.500	< 0.500	< 0.500	364.022	< 0.500	2.700
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
	%	%	%	%	%	%	%	%	%	%	%	%	%

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY

Analyzed Date: 02/19/24 15:13:00

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Billion, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Revision: #1 - Report revised to Revision: #2 - Report revised to update strain name.



Kaycha Labs

RZRC24046C Banana Ghost Matrix: Derivative



Type: Vape Cartridge

Certificate of Analysis

PASSED

4883 State Route 67 Hoosick Falls, NY, 12090, US **Telephone:** (518) 730-6024 Fmail: maxson@naturaenewyork.com License # : OCM-AUCP-2022-000028

Sample : AL40219001-003 Harvest/Lot ID: RZRC24046C Batch#: RZRC24046C

Sampled: 02/15/24 11:15 AM Total Amount: 2500 units

Sample Size Received: 16 units Sampling Method: SOP.T.20.010.NY

Page 2 of 6



Terpenes

TESTED

Terpenes	LOQ	mg/un	it %	Result (%)		Terpenes	LOQ (%)	mg/unit	%	Result (%)
BETA-CARYOPHYLLENE	(%) 0.04	11.2	2.23			Weight: 0.5046q				
ALPHA-HUMULENE	0.04	4.9	0.98			Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY				
LIMONENE	0.04	4.4	0.87			Analyzed Date : 02/19/24 13:58:01				
ALPHA-BISABOLOL	0.04	3.7	0.73							
BETA-MYRCENE	0.04	0.9	0.18							
ALPHA-PINENE	0.04	0.7	0.14							
ALPHA TERPINEOL	0.04	0.6	0.12							
FENCHYL ALCOHOL	0.04	0.6	0.12							
BETA-PINENE	0.04	0.6	0.11		İ					
LINALOOL	0.04	0.5	0.10							
TERPINOLENE	0.04	0.4	0.08							
CARYOPHYLLENE OXIDE	0.04	0.3	0.06							
OCIMENE	0.04	0.3	0.06							
CAMPHENE	0.04	< 0.2	< 0.04							
FARNESENE	0.10	< 0.5	< 0.10							
MENTHOL	0.04	< 0.2	< 0.04							
ALPHA-PHELLANDRENE	0.04	< 0.2	< 0.04							
ALPHA-TERPINENE	0.04	< 0.2	< 0.04							
GERANIOL	0.04	< 0.2	< 0.04							
GUAIOL	0.04	< 0.2	< 0.04							
VALENCENE	0.04	< 0.2	< 0.04							
otal (9/)			F 70							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Billion, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Revision: #1 - Report revised to average potency results across 6 extraction replicates.

Revision: #2 - Report revised to update strain name.



Kaycha Labs

RZRC24046C Banana Ghost Matrix: Derivative



Type: Vape Cartridge

Certificate of Analysis

PASSED

4883 State Route 67 Hoosick Falls, NY, 12090, US **Telephone:** (518) 730-6024 Fmail: maxson@naturaenewyork.com License # : OCM-AUCP-2022-000028

Sample : AL40219001-003 Harvest/Lot ID: RZRC24046C Batch#: RZRC24046C

Sampled: 02/15/24 11:15 AM Total Amount: 2500 units

Sample Size Received: 16 units Sampling Method: SOP.T.20.010.NY

Page 3 of 6



Pesticides

	-				
-	////			-	
	_	_	-	_	ш.
	_				

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
PYRETHRINS, TOTAL	0.1	ppm	1	PASS	< 0.1
AZADIRACHTIN	0.1	ppm	1	PASS	< 0.1
INDOLE-3-BUTYRIC ACID	0.1	ppm	1	PASS	< 0.1
MYCLOBUTANIL	0.1	ppm	0.2	PASS	< 0.1
PIPERONYL BUTOXIDE	0.1	ppm	2	PASS	< 0.1
ABAMECTIN B1A	0.1	ppm	0.5	PASS	< 0.1
ACEPHATE	0.1	ppm	0.4	PASS	< 0.1
ACEQUINOCYL	0.1	ppm	2	PASS	< 0.1
ACETAMIPRID	0.1	ppm	0.2	PASS	< 0.1
ALDICARB	0.1	ppm	0.4	PASS	< 0.1
AZOXYSTROBIN	0.1	ppm	0.2	PASS	< 0.1
CHLORMEQUAT CHLORIDE	0.1	ppm	1	PASS	< 0.1
BIFENAZATE	0.1	ppm	0.2	PASS	< 0.1
BIFENTHRIN	0.1	ppm	0.2	PASS	< 0.1
CARBARYL	0.1	ppm	0.2	PASS	< 0.1
COUMAPHOS	0.1	ppm	1	PASS	< 0.1
CHLORPYRIFOS	0.1	ppm	0.2	PASS	< 0.1
DAMINOZIDE	0.1	ppm	1	PASS	< 0.1
BOSCALID	0.1	ppm	0.4	PASS	< 0.1
CARBOFURAN	0.1	ppm	0.2	PASS	< 0.1
CHLORANTRANILIPROLE	0.1	ppm	0.2	PASS	< 0.1
CLOFENTEZINE	0.1	ppm	0.2	PASS	< 0.1
DIAZINON	0.1	ppm	0.2	PASS	< 0.1
DICHLORVOS	0.1	ppm	1	PASS	< 0.1
DIMETHOATE	0.1	ppm	0.2	PASS	< 0.1
DIMETHOMORPH	0.1	ppm	1	PASS	< 0.1
ETHOPROPHOS	0.1	ppm	0.2	PASS	< 0.1
ETOFENPROX	0.1	ppm	0.4	PASS	< 0.1
ETOXAZOLE	0.1	ppm	0.2	PASS	< 0.1
FENHEXAMID	0.1	ppm	1	PASS	< 0.1
FENOXYCARB	0.1	ppm	0.2	PASS	< 0.1
FENPYROXIMATE	0.1	ppm	0.4	PASS	< 0.1
FIPRONIL	0.1	ppm	0.4	PASS	< 0.1
FLONICAMID	0.1	ppm	1	PASS	< 0.1
FLUDIOXONIL	0.1	ppm	0.4	PASS	< 0.1
HEXYTHIAZOX	0.1	ppm	1	PASS	< 0.1
IMAZALIL	0.1	ppm	0.2	PASS	< 0.1
IMIDACLOPRID	0.1	ppm	0.4	PASS	< 0.1
KRESOXIM METHYL	0.1	ppm	0.4	PASS	< 0.1
MALATHION	0.1	ppm	0.2	PASS	< 0.1
METALAXYL	0.1	ppm	0.2	PASS	< 0.1
METHIOCARB	0.1	ppm	0.2	PASS	< 0.1
METHOMYL	0.1	ppm	0.4	PASS	< 0.1
MEVINPHOS	0.1	ppm	1	PASS	< 0.1
NALED	0.1	ppm	0.5	PASS	< 0.1
OXAMYL	0.1	ppm	1	PASS	< 0.1

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
PACLOBUTRAZOL	0.1	ppm	0.4	PASS	< 0.1
PERMETHRIN	0.1	ppm	0.2	PASS	< 0.1
PHOSMET	0.1	ppm	0.2	PASS	< 0.1
PRALLETHRIN	0.1	ppm	0.2	PASS	< 0.1
PROPICONAZOLE	0.1	ppm	0.4	PASS	< 0.1
PROPOXUR	0.1	ppm	0.2	PASS	< 0.1
PYRIDABEN	0.1	ppm	0.2	PASS	< 0.1
SPINETORAM, TOTAL	0.1	ppm	1	PASS	< 0.1
SPINOSAD, TOTAL	0.1	ppm	0.2	PASS	< 0.1
SPIROMESIFEN	0.1	ppm	0.2	PASS	< 0.1
SPIROTETRAMAT	0.1	ppm	0.2	PASS	< 0.1
SPIROXAMINE	0.1	ppm	0.2	PASS	< 0.1
TEBUCONAZOLE	0.1	ppm	0.4	PASS	< 0.1
THIACLOPRID	0.1	ppm	0.2	PASS	< 0.1
THIAMETHOXAM	0.1	ppm	0.2	PASS	< 0.1
TRIFLOXYSTROBIN	0.1	ppm	0.2	PASS	< 0.1
CAPTAN *	0.1	ppm	1	PASS	< 0.1
CHLORDANE *	0.1	ppm	1	PASS	< 0.1
CHLORFENAPYR *	0.1	ppm	1	PASS	< 0.1
CYFLUTHRIN *	0.1	ppm	1	PASS	< 0.1
CYPERMETHRIN *	0.1	ppm	1	PASS	< 0.1
METHYL PARATHION *	0.1	ppm	0.2	PASS	< 0.1
MGK-264 *	0.1	ppm	0.2	PASS	< 0.1
PENTACHLORONITROBENZENE *	0.1	ppm	1	PASS	< 0.1

Analysis Method :SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY Analyzed Date : 02/19/24 18:10:22

0.5298g

Analysis Method: SOP.T.40.154.NY Analyzed Date: 02/19/24 18:10:51

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Billion, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Revision: #1 - Report revised to average potency results across 6 extraction replicates.

Revision: #2 - Report revised to update strain name.



Kaycha Labs

RZRC24046C Banana Ghost Matrix: Derivative



Type: Vape Cartridge

Certificate of Analysis

PASSED

4883 State Route 67 Hoosick Falls, NY, 12090, US **Telephone:** (518) 730-6024 Fmail: maxson@naturaenewyork.com License # : OCM-AUCP-2022-000028

Sample : AL40219001-003 Harvest/Lot ID: RZRC24046C Batch#: RZRC24046C

Sampled: 02/15/24 11:15 AM Total Amount: 2500 units

Sample Size Received: 16 units Sampling Method: SOP.T.20.010.NY

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOQ	Units	Action Level	Pass/Fail	Result
DIMETHYL SULFOXIDE	750.0	ppm	5000	PASS	<750.0
1,1,1-TRICHLOROETHANE	225.0	ppm	1500	PASS	<225.0
HEXANE, TOTAL	625.0	ppm	290	PASS	<625.0
PENTANES, TOTAL	375.0	ppm	5000	PASS	<375.0
BUTANES, TOTAL	1800.0	ppm	5000	PASS	<1800.0
XYLENES, TOTAL	250.0	ppm	2170	PASS	<250.0
1,2-DICHLOROETHANE	0.5	ppm	5	PASS	< 0.5
PROPANE	900.0	ppm	5000	PASS	<900.0
METHANOL	125.0	ppm	3000	PASS	<125.0
ETHANOL	125.0	ppm	5000	PASS	<125.0
ETHYL ETHER	125.0	ppm	5000	PASS	<125.0
ACETONE	125.0	ppm	5000	PASS	<125.0
2-PROPANOL	125.0	ppm	5000	PASS	353.8
ACETONITRILE	125.0	ppm	410	PASS	<125.0
DICHLOROMETHANE	125.0	ppm	600	PASS	<125.0
ETHYL ACETATE	125.0	ppm	5000	PASS	<125.0
BENZENE	0.5	ppm	2	PASS	< 0.5
N-HEPTANE	125.0	ppm	5000	PASS	<125.0
TOLUENE	125.0	ppm	890	PASS	<125.0
CHLOROFORM	0.5	ppm	60	PASS	<0.5

Weight: 0.03391g

Analysis Method: SOP.T.40.044.NY Analyzed Date: 02/20/24 17:19:47

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Billion, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Revision: #1 - Report revised to average potency results across 6 extraction replicates.

Revision: #2 - Report revised to update strain name.



Kaycha Labs

RZRC24046C Banana Ghost Matrix: Derivative



Type: Vape Cartridge

Certificate of Analysis

PASSED

Hoosick Falls, NY, 12090, US Telephone: (518) 730-6024 Fmail: maxson@naturaenewyork.com License # : OCM-AUCP-2022-000028

Sample : AL40219001-003 Harvest/Lot ID: RZRC24046C Batch#: RZRC24046C

Sampled: 02/15/24 11:15 AM Total Amount: 2500 units

Sample Size Received: 16 units Sampling Method: SOP.T.20.010.NY

Page 5 of 6

Units

ppm

ppm

ppm

maa

ppm



Microbial

PASSED

Action

10000

1000



AFLATOXIN G2

AFLATOXIN G1

AFLATOXIN B2

AFLATOXIN B1

OCHRATOXIN A+

Analyte

Mycotoxins

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

0.02

Result Pass /

<0.003 PASS

<0.003 PASS

<0.003 PASS

<0.003 **PASS**

<0.010 PASS

Fail

Analyte	LOQ	Units	Result	Pass / Fail	
TOTAL AEROBIC BACTERIA	100	CFU/g	<100	PASS	
TOTAL YEAST AND MOLD	100	CFU/g	<100	PASS	
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIES			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	

Analysis Method: SOP.T.30.104.NY, SOP.T.40.104.NY

TOTAL AFLATOXINS (B1, B2, G1, G2)

<0.003 PASS mag

LOO

0.003

0.003

0.003

0.003

0.010

0.003

Analyzed Date: $02/19/24\ 18:10:37$

Weight: 1.0344g

Analysis Method: SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.208.NY

Analyzed Date: 02/19/24 14:24:57



Heavy Metals

PASSED

Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1000	ug/g	< 0.1000	PASS	2
ARSENIC	0.1000	ug/g	< 0.1000	PASS	0.2
CADMIUM	0.1000	ug/g	< 0.1000	PASS	0.3
CHROMIUM	1.0000	ug/g	<1.0000	PASS	110
COPPER	1.0000	ug/g	<1.0000	PASS	30
LEAD	0.1000	ug/g	< 0.1000	PASS	0.5
MERCURY	0.0100	ug/g	< 0.0100	PASS	0.1
NICKEL	0.1000	ug/g	0.2541	PASS	2

Weight: 0.4131g

Analysis Method: SOP.T.30.084.NY, SOP.T.40.084.NY

Analyzed Date: 02/19/24 15:16:27

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Revision: #1 - Report revised to average potency results across 6 extraction replicates.

Revision: #2 - Report revised to

update strain name.





RZRC24046C Banana Ghost Matrix: Derivative



Type: Vape Cartridge

Certificate of Analysis

PASSED

4883 State Route 67 Hoosick Falls, NY, 12090, US **Telephone:** (518) 730-6024 Fmail: maxson@naturaenewyork.com License # : OCM-AUCP-2022-000028

Sample : AL40219001-003 Harvest/Lot ID: RZRC24046C Batch#: RZRC24046C

Sampled: 02/15/24 11:15 AM Total Amount: 2500 units

Sample Size Received: 16 units Sampling Method: SOP.T.20.010.NY

Page 6 of 6

Homogeneity

PASSED

Analyte	LOQ	Units	Pass/Fail	Result	Action Level
HOM1 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	4.55	25
HOM1 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	ND	25
HOM2 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	4.36	25
HOM2 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	ND	25
HOM3 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	3.46	25
HOM3 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	ND	25
HOM4 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	11.91	25
HOM4 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	ND	25
HOM5 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	15.18	25
HOM5 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	ND	25

Analysis Method: SOP.T.30.031.NY. SOP.T.40.031.NY

Analyzed Date: 02/19/24 15:13:00

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Billion, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



average potency results across 6 extraction replicates.

Revision: #2 - Report revised to update strain name.

Revision: #1 - Report revised to